

INDEX MAPS.

T. 35 N.R. 10 W. 2nd Mer.

6	5	4	3	2	1	157
7	8	9	10	11	12	156
18	17	16	15	14	13	158
19	20	21	22	23	24	156
30	29	28	27	26	25	157
31	32	33	34	35	36	155

Illinois

T. 36 N.R. 10 W. 2nd Mer.

6	5	4	3	2	1	162
7	8	9	10	11	12	164
18	17	16	15	14	13	162
19	20	21	22	23	24	163
30	29	28	27	26	25	161
31	32	33	34	35	36	161

Illinois

Meanders-164

The figures on the lines refer to the page.

Township 36 North Range 10 West 2nd Mer. Ind. 161

South Boundary

(Var. 6° 10' E)

West on South Side Sec. 36
40.00 gr. Sec. cor. no post no mound water from 2 to 4 ft deep
68.46 Enter at State line between Indiana & Illinois
no post no mound, water deep same as last gr.
Sec. cor, all marsh, (Cm. T. 35436 R. 10 W.)
Surveyed February 22nd 1834 by
Sylvester Sibley, Dep^t Sur,

East Boundary

(Var. 6° 25' E)

North on East Side Sec. 36
40.00 No gr. Sec. post water too deep for mound or bearing
80.00 Sec. cor, water too deep for mound or bearing, no post
was obliged to make an offset from the South cor,
East in order to obtain the distance, so much
water that it was impossible to measure the line

North on East Side Sec. 25

40.00 Dr. Sec. cor, no post water too deep for mound or bearing,
50.00 Sec. cor, no post water too deep for mound or bearing,
all marsh

North on East Side Sec. 24

40.00 Set gr. Sec. post on N. side of Marsh and enter
Oak Ridge from which
a Y. Oak 9 in. dia, bears N. 20 W. 86 lks. dist,
" " " 18 " " " N. 45 1/2 W. 84 " "
42.00 To a Trail East & West
46.16 To a Y. Oak 18 in. dia,
65.00 Enter wet prairie
80.00 Set post where raise a mound cor. to Sec. 13, & 24
Laid level S. 1/2 Marsh N. 1/2 Sec. and rate
Timber oak,

T. 36 N. R. 10 W. 2nd Mer. Indiana,

- North On East Side Sec. 13
 22.70 To a Br. Oak 10 in. dia. cor. on left Bank of
 Calumie River course N. W.
 27.13 Set a post on right bank of River from which
 to Br. Oak 18 in. dia. bears N. 49 W. 176 lks. dist.
 & a Do Do 10 " " " N. 82 W. 165 " "
 40.00 Set 9th Sec. post from which
 to Br. Oak 10 in. dia. bears S. 8 W. 11.50 lks. dist.
 no other,
 80.00 Set post cor. to Sec. 12 & 13 too much water to
 have a mound. Land all same,
-

- North On East Side Sec. 12
 40.00 Set 9th Sec. post from which
 to Y. Oak 10 in. dia. bears N. 50 W. 2.15 lks. dist.
 & to Y. Oak 9 " " " N. 14 W. 234 " "
 43.00 Leave prairie
 80.00 Set post cor. to Sec. 12 & 13 from which
 to Y. Oak 18 in. dia. bears S. 81 W. 61 lks. dist.
 & a Do Do 9 " " " N. 41 W. 47 " "
 Land level & poor Timber oak,
-

- North On East Side Sec. 1
 40.00 Set 9th Sec. post from which
 to Y. Oak 10 in. dia. bears N. 6 W. 328 lks. dist.
 & a Do Do 14 " " " S. 4 W. 3.00 " "
 80.00 Set Temporary Cor. to T. 36 & 37 N. R. 9 & 10 W.
 Land all same,
 Surveyed in February 23 1834 by
 Sylvester Tilly, Dep't. Sur,
-

North Boundary

- West On South Side Sec. 36 T. 37 N. R. 10 W.
 40.00 Set 9th Sec. post from which
 to Y. Oak 10 in. dia. bears N. 52 E. 42 lks. dist.

67.28 @ H. Oak 14 in. dia. bears N. 23 W. 67 lks. dist.
Intersect State line between Indiana & Illinois, 18
chains & 70 lks South of 153rd mile post where set
post from which, (C. T. 36 & 37 N. R. 10 W.)

@ H. Oak 9 in. dia. bears N. 29 E. 115 lks. dist.
& @ H. Oak 10 " " " N. 59 E. 160 " "
Land level & poor. Timber Oak

Surveyed in February 1834 by
Sylvester Sibley, Dep't. Sur.

Subdivisions

Var. 6° 25' E

West Between Sections 25 & 26

This being all in swampy deep ponds & Lakes,
& no corner post as East boundary, it is thought
not necessary to run it;

West Between Sections 24 & 25

the same as the previous line,

West Between Sections 13 & 24

40.00 Set of L. C. post no mound nor bearings

67.18 Intersect State line between Indiana & Illinois,
where set post cor. to Sec. 13 & 24 from which
@ H. Oak " " bears S. 39 1/2 E. 215 lks. dist.
E 1/2 Marsh wet soil W 1/2 Wet poor prairie,

West Between Sections 12 & 13

40.00 Set of L. C. post in marsh prairie no mound

62.50 To Right Bank of Calumet River, a Br. Oak 12
in. dia. Co. & meander post,

67.00 Intersect State line between Indiana & Illinois 8
lks N. of Meander post on State line left Bank
of River, where set post cor. to Sec. 12 & 13
no mound nor bearings. Marsh prairie,

T. 36 N. R. 10 W. 2nd Sec. Indiana,

West. Between Sections 1 & 13

24.32 To W. Oak 10 in dia,

110.00 Set of L.C. post from which

W. Oak 12 in. dia. bears S. 88 E. 95 lks. dir.^c

& W. Oak 8 " " " N. 86 W. 46 " "

67.20 Intersect State line between Indiana & Illinois, north,

W. Oak 30 in. dia. bears S. 13 E. 138 lks. dir.^c

No other marks,

Barens W. & M. Oak Timber Poor Soil.

Survey 33rd, 1835,

Meanders of Calamie River, beginning at meander post on State line, left Bank up stream,

S. 4 E. 16.00 In Sec. 13

S. 56 E. 25.00

S. 21 E. 23.00

S. 58 E. 9.00

N. 56 E. 7.00

S. 71 E. 13.00

East 11.90 To Br. Oak Cor. & Meander post on East Boundary,

Right bank up stream from meander post on State line

N. 84 E. 4.00 In Sec. 12,

S. 12 E. 2.35 To Meander Cor. on line between Sec. 12 & 13

S. 50 E. 79.00 In Sec. 13

S. 67 E. 2.97 To meander post on East Boundary,

February 24, 1835

Surveyed Feb. 24, 1835 by

Andrew Burnside, Dep. Sur.

T. 36 N. — R. 10 W. 2nd Mer. Indiana.

168.

I Certify that the foregoing transcript of field notes
of Township 36 North of Range 10 West 2nd Meridian
State of Indiana, has been compared with the original in
this office and found to be correct;

William Johnston
Sur. Genl.

Surveyor General's Office
Cincinnati. Dec^r 30th 1842